



Volumen 6 nº 11, Diciembre de 2021
Volume 6 nº 11, December 2021

Professional Plant Protection

Plant Quarantine Powdery Mildews of the world on 2021: Taxonomy, Referenced Hosts and Quarantine Zones

*Oidios de Cuarentena Vegetal en el Mundo en 2021:
Taxonomía, hospedadores referenciados y zonas de
Cuarentena*

J. L. Andrés Ares & International Plant Quarantine Workgroup

Technical and regulatory review
Revisión técnica y normativa

Consultorías Noroeste S.C.



Professional Plant Protection 11: 95–113

© 2021 Consultorías Noroeste S.C.

Plant Quarantine Powdery Mildews of the world on 2021: Taxonomy, Referenced Hosts and Quarantine Zones

Oidios de Cuarentena Vegetal en el Mundo en 2021: Taxonomía, hospedadores referenciados y zonas de Cuarentena

J.L. Andrés Ares

Consultorias Noroeste S.C.

2445-1703(20211126)6:11<95:QPMOTW>1.0;CD;2-Y

Technical and regulatory review – Revisión técnica y normativa

International Plant Quarantine Workgroup – *Grupo Cuarentena Vegetal Internacional*

- Mukesh Singh. Rajendra Prasad Agricultural University. India.
- Elaheh Gerami. TBIO Crop Science. Iran.
- Eder Novais. Fitolab Agricultural Research. Brazil.
- Aline Ferreira Barros. Agroteste Pesquisa e Desenvolvimento. Brazil.
- Liliana Estupiñán López. PROMIP. Manejo Integrado de Pragas. Brazil.
- Valmir Duarte. Agronomica Laboratorio de Diagnostico Fitossanitario e Consultoria. Brazil.
- Felipe Colares Batista. Agronomica Laboratorio de Diagnostico Fitossanitario e Consultoria. Brazil.
- Camila Lage de Andrade. Agronomica Laboratorio de Diagnostico Fitossanitario e Consultoria. Brazil.
- Larissa Bitencourt. Agronomica Laboratorio de Diagnostico Fitossanitario e Consultoria. Brazil.
- Raúl Coutinho. Agronomica Laboratorio de Diagnostico Fitossanitario e Consultoria. Brazil.
- Vinicius Ferreira. Agronomica Laboratorio de Diagnostico Fitossanitario e Consultoria. Brazil.
- Jéssica Pedroso. Agronomica Laboratorio de Diagnostico Fitossanitario e Consultoria. Brazil.
- Priscila S. da C.F. Gomes. Agronomica Laboratorio de Diagnostico Fitossanitario e Consultoria. Brazil.
- Bounouh Miloud. Quarantine issues officer. Morocco.
- Osiel Rodríguez Toledo. National Biosecurity Agency. Seychelles.
- Miguel Sicilia. AFE. Sociedad Cooperativa Andaluza. Spain.
- Cinthia Martínez. Fertilab. Mexico.
- Johanna Echeverri. Fedederación Nacional de Arroceros. FEDEARROZ . Colombia.
- Cristiano Bellé. Instituto Phytus. Río Grande do Sul. Brazil.
- Kamila Reichelt Alves. Agronomica Laboratorio de Diagnostico Fitossanitario e Consultoria. Brazil.
- Yuliet Franco. Agronomica Laboratorio de Diagnostico Fitossanitario e Consultoria. Brazil.
- Thayllane de Campos. Agronomica Laboratorio de Diagnostico Fitossanitario e Consultoria. Brazil.
- Fernando Rojas de la Cruz..CAPEAGRO S.A.C. Peru.
- Nelsi Yulisa Velasco Peña.Independent Agronomical Engineer. Peru.
- Fernanda Silva Sandoval. Altus Biopharm. Mexico.
- Fredy Alexander Rodríguez Cruz. Universidad de La Salle. Colombia.
- Miguel Calvo Agudo. IVIA. Instituto Valenciano de Investigaciones Agrarias. Spain.
- Thiago Sampaio Guerra. Agroteste Pesquisa e Desenvolvimento. Brazil.
- Antonio Rivera Martínez. Xunta de Galicia. Spain.
- José Luis Andrés Ares. CONSULTORÍAS NOROESTE S.C. Spain.

Adcribed to the project INTERNATIONAL PLANT QUARANTINE

Adscrito al proyecto CUARENTENA VEGETAL INTERNACIONAL.

Summary

On the present paper the author carries out an actualized checklist of the powdery mildew species that are considered formal quarantine pathogens –according to the FAO concept– in any country of the world.

Key words: *Erysiphaceae*

Resumen

En el presente trabajo el autor realiza una lista actualizada de las especies de oidios consideradas de cuarentena en cualquier país del mundo según el concepto formal de plaga de cuarentena definido por la FAO.

Palabras clav: *Erysiphaceae*

1. Terminological and conceptual precisions

According to FAO a quarantine agent is “an agent of potential economic importance to the area endangered thereby and not yet present there, or present but not widely distributed and being officially controlled”. This concept is different to the concept of regulated agent which is defined by the same organization as “a quarantine agent or a regulated non-quarantine agent” and also different from the concept of regulated non-quarantine pest defined by FAO as “a non-quarantine agent whose presence in plants for planting, affects the intended use of those plants with an economically unacceptable impact and which is therefore regulated within the territory of the importing contracting party”. Not all of the countries have formal quarantine agent lists, some have either quarantine and regulated agent lists and others have only regulated agent lists. We have only considered on this paper formal quarantine agents, included on laws published by the governments of the countries, not of regions of such countries. Regulated non-quarantine rusts will be matter of a different paper.

Quarantine powdery mildews are not important in number but are one of the most important quarantine agents group due to their biological characters, they have several cycles on one single host during a single productive season, they are easily dispersed large distances, are difficult to manage with conventional chemical methods

and are easily resistant to conventional fungicides. These are the main reasons of the importance of their quick detection before they establish on new countries.

The objective of the present paper is to present the most important quarantine powdery mildews of the world in 2021, the countries where they are considered quarantine agents and their most important referenced hosts. They are classified following conventional taxonomical criteria as specified on Index Fungorum. We have only included host genera that have species with agro-nomical or ornamental interest.

2. List of quarantine Powdery Mildews worldwide

ORDER ERYSPHALES

2.1. Family *Erysiphaceae*

1. Scientific name: ***Erysiphe betae* (Vanha) Wetzien 1963**

Synonyms:

– *Microsphaera betae* Vanha 1903

– *Erysiphe communis* f. *betae* (Vanha) Jacz. 1927

– *Oidium cylindricum* Sawada 1959

Quarantine countries: Nicaragua & Ecuador.

Hosts: *Beta vulgaris*, *Phaseolus vulgaris*, *Pisum sativum*, *Brassica rapa*, *Spinacea oleracea*.